


IND

Township No XXIII North, Range No III West 2d Mer.

surveyed by Henry Bryan. 1822.

Description of the Soil on the interior Sectional lines.

Between Sections	Quality &c.	Between Sections	Quality &c.	Between Sections	Quality &c.
35&36	Land level 2nd rate - Beech. W. Oak Open woods	2&3	Land level - Beech. Sugar - Ung^d Spice	4&9	Hilly land. Oak & Hickory
25.35	Same - with sugar	33.34	Same	4.5	—
25.26	Same	27.34	Same - Broken	31.32	Prairie
24.25	Same	27.28	Same	29.32	Barrens
23.24	Same	22.27	Same - level	30.31	Same
13.24	Same	21.28	Same	29.30	Land level - Oak. Hickory
13.14	Same	15.22	Same - Brushy	20.29	Same
12.13	Same	15.16	Same - Hilly	19.30	Same
11.12	Same	14.15	Same	19.20	Same - Hilly
1.12	Same	9.10	Land level. good - Walnut. Sugar &c.	17.20	Land level - Beech & Sugar
1.2	Same	3.10	Same	18.19	—
34.35	Same	3.4	Same	17.18	Bottom land. Ash. Walnut &c.
26.35	Same	32.33	Prairie	8.17	Land Hilly - Beech. Oak. Walnut
26.27	Land brushy	28.33	Land Hilly - low scrubby timber	7.18	Same level
23.26	Same	28.29	Same. Broken	7.8	Same
22.23	Land. good Sugar. Poplar. Walnut	21.28	Same	5.8	Same
14.23	—	20.21	Land Hilly - Oak & Hickory	6.7	Same
14.15	Same	16.21	Same	5.6	Same
11.14	Same - Hilly	16.17	Same		
10.11	Bottom land Walnut. Sugar	8.9	Same		
2.11	Same	9.16	Same		

Township No. 23 North, Range No. 3 West of 4th Meridian

Posts	Bearing trees	Inches diam.	Courses they bear	Links dist.	Quality of the Soil
A	Beech	12	S 25 E	21	
	do	10	N 4 W	27	
a	W. Oak	10	N 8 W	4	
	Ironwood	6	S 73 W	17	
B	Mk Post				
	W. Ash	14	N 52 W	23	
	S. Oak	9	S 40 E	22	
b					
C	Sugar	11	S 38 E	5	
	Hickory	34	S 38 W	9	
c					
D	B. Oak	8	N 12 W	17	
	Elm	10	S 58 E	12	
d					
E	Hickory	15	S 3 W	25	
	do	15	N 13 W	18	
e					
F	Hickory	24	S 2 E	11	
	Ironwood	4	S 72 W	9	
f					
G	Sugar	10	S 65 W	8	G to H. 2nd rate good farming land
	Poplar	12	Corner		
g	Beech	24	S 60 E	35	
	do	24	West	8	
H	Sycamore	30	S 54 E	34	H to I. Land Rich & good for farming Sugar. Ash &c.
	W. Ash	8	N 64 E	78	
h	Sugar	10	S 12 W	26	
	Beech	30	N 41 W	40	
I	W. Oak	36	N 47 E	30	I to K. Same
	Beech	14	S 66 W	16	
i	W. Ash	7	S 34 W	16	
	Elm	18	S 85 E	35	
K	Hickory	12	S 85 E	48	K to L. Part Wet & Swampy
	W. Oak	30	S 66 W	57	
k	W. Oak	30	N 26 W	27	
	do	30	S 64 E	54	
L	B. Oak	27	N 60 W	34	L to M. Land 2nd rate. Beech, Sugar. Oak &c.
	do	24	S 87 E	20	
l	Hickory	8	N 74 E	10	
	W. Oak	8	S 20 E	7	
M	Elm	12	N 21 W	5	M to N South ½ nearly 1st rate. North ½ part swampy
	W. Beech	6	S 32 E	7	
m	W. Oak	8	S 12 W	48	
	Mulberry	-	N 43 E	27	
N	W. Walnut	20	N 60 W	17	N to O Same level. Rich & good for farming. Beech. Sugar. Walnut &c.
	Mulberry	6	S 70 E	48	
n	Elm	14	S 52 E	6	
	W. Walnut	24	S 81 W	27	
O	Maple	9	S 32 E	5	O to P Similar nearly 1st rate
	S. Oak	7	N 64 W	30	
o	B. Oak	27	N 20 E	37	
	do	24	S 14 W	17	
P	Sugar	10	N 62 E	15	P to Q. Same
	do	20	S 29 E	30	
p	W. Ash	30	S 50 W	38	
	W. Oak	30	N 16 E	77	
Q	Hickory	12	N 38 W	24	Q to R Prairie of a middling quality
	W. Oak	36	S 54½ E	7	
q	Elm	10	S 45 E	4.88	
	Blk. Jack	8	N 4 E	74	
R	W. Oak	12	S 12½ W	10.97	R to S 1st rate land
r	Hickory	12	S 62 E	24	
	W. Oak	9	S 62 W	28	
S	Mound				S to T Same
s	Mound				
T	Mound				
t	W. Oak	44	N 48 W	5.55	
	do	12	N 64½ W	5.83	
U	Mk Post				
	W. Oak	30	N 1 W	3.06	
u					
V	W. Oak	30	N 5 E	5	
	do	30	S 86 W	87	
v					
W	Water Beech	6	S 67 W	27	
	Elm	12	N 42 E	11	
w					
X	Ash	4	N 75 E	16	
	Sugar	18	S 61 W	27	
x					
Y	W. Oak	20	N 2 W	2	
y	Sugar	12	S 39 E	24	

Interior Section Corners described

Corners of Sections	Bearing trees	Inches diam.	Courses they bear	Links dist.
25.26.35.36	Elm	6	N 33 W	30
	do	6	N 57 E	18
23.24.25.26	B. Oak	9	S 9 W	5.24
13.14.23.24	Ironwood	10	N 30 E	23
	Hickory	24	S 33 W	15
11.12.13.14	Beech	20	N 22 W	11
	Sugar	14	S 53 E	44
1.2.11.12	Hackberry	20	S 16 W	30
	Sycamore	8	N 89 E	53
26.27.34.35	Sugar	14	S 69 W	19
	Beech	30	N 78 E	12
22.23.26.27	W. Oak	20	S 22 W	75
	do	18	N 13 E	69
14.15.22.23	W. Oak	24	N 83 E	20
	Sugar	24	N 45 W	18
10.11.14.15	Ironwood	12	S 55 W	8
	do	12	S 62 E	8
2.3.10.11	B. Oak	9	N 44 W	5
	do	14	S 60 E	10
27.28.33.34	W. Oak	20	N 82 W	23
	Hickory	26	N 57 E	17
21.22.27.28	Sycamore	12	N 60 E	6
	W. Oak	5	S 30 W	30
15.16.21.22	S. Oak	12	S 11 W	20
	Hickory	12	S 76 E	13
9.10.15.16	Sycamore	8	N 86 E	105
	Ash	4	N 51 W	17
3.4.9.10	Beech	15	S 31 W	34
	Ash	16	N 43 E	20
28.29.32.33	Hickory	6	S 59 E	27
	do	8	N 73 W	12
20.21.28.29	B. Oak	20	S 58 E	79
	W. Oak	12	N 45 W	25
16.17.20.21	Hickory	18	S 87 E	31
	W. Oak	18	N 40 W	21
8.9.16.17	Ironwood	9	S 6 W	20
	Elm	30	N 30 E	10
4.5.8.9	Ash	18	S 18 E	10
	do	12	N 4 W	8
29.30.31.32	W. Oak	30	S 84 E	40
	Hickory	15	S 45 W	30
19.20.29.30	W. Oak	14	S 61 E	8
	B. Oak	30	S 42 W	60
17.18.19.20	Cherry	12	S 74 E	1.14
	W. Oak	20	N 85 W	1.12
7.8.17.18	B. Oak	18	S 10 W	34
	do	6	N 19 E	9
5.6.7.8	Hickory	6	S 32 E	20
	do	9	N 19 W	38

Interior Quarter Section Corners.


From & to		Bearing trees	Inches diam.	Courses they bear	Links dist.
M to N & L	1	Sugar	18	N 29 W	19
		Elm	10	S 11 W	21
	2	Beech	20	S 46 E	46
		Sugar	16	N 4 E	7
	3	B. Oak	12	N 84 W	2
		Gray Ash	14	N 81 E	8
	4	Elm	20	S 25 E	34
		do	18	N 40 W	34
	5	W. Oak	20	N 40 W	1.18
		B. Oak	20	S 2 W	80
	6	Post & Mound			
L to V	1	B. Oak	8	N 19 E	11
		W. Oak	7	S 29 W	18
	2	W. Oak	18	N 80 E	40
		do	15	S 85 W	36
	3	B. Oak	6	S 11 W	4
		do	12	N 57 E	12
	4	Sycamore	14	N 81 W	30
	5	W. Oak	20	N 1 E	54
		do	20	S 80 E	17
	6	W. Oak	20	N 70 W	41
		do	18	S 62 W	36
K to W	1	Ironwood	6	S 63 E	10
		W. Oak	30	N 48 W	48
	2	Ironwood	6	S 47 E	6
		do	6	N 44 W	47
	3	W. Oak	24	N 43 W	32
		Gray Ash	10	S 40 E	22
	4	Hickory	24	N 53 E	19
		do	18	S 43 W	50
	5	Sugar	20	S 33 E	35
		Ash	20	N 31 W	40
	6	W. Oak	20	S 80 E	30
		do	24	S 21 W	21

Interior Quarter Section Corners.

From & to		Bearing trees	Inches diam.	Courses they bear	Links dist.
F to X & L	1	W. Oak	24	N 23 W	30
		Beech	24	S 29 W	20
	2	W. Oak	24	S 31 E	6
		Sugar	15	N 28 W	39
	3	Sugar	14	S 2 E	14
		Elm	30	N 44 W	16
	4	W. Oak	16	S 19 W	11
		do	24	N 2 W	27
	5	W. Beech	6	S 23 E	22
		B. Oak	20	N 31 W	32
	6	B. Oak	20	N 72 E	16
		do	15	S 49 W	20
H to Y	1	Coffee nut	10	S 24 E	12
		W. Walnut	6	N 43 E	21
	2	Sycamore	18	S 72 W	4
		do	20	N 54 E	38
	3	Sugar	10	N 73 W	37
		Ash	6	S 56 W	38
	4	W. Oak	10	S 58 E	22
		do	24	N 31 W	22
	5	Hickory	6	N 44 W	8
		do	6	S 72 E	11
	6	Sugar	12	N 62 E	5
		do	12	S 72 W	22
O to P	1	Sugar	15	S 76 W	7
		do	18	N 54 E	11
	2	Sugar	14	N 35 W	14
		W. Oak	28	S 23 E	24
	3	Elm	24	N 44 E	24
		W. Oak	30	N 64 W	14
	4	Ash	4	S 6 E	24
		do	14	N 70 W	30
	5	Sugar	18	S 84 W	20
		do	18	N 21 E	30
	6	Beech	18	N 61 E	21
		do	20	S 86 W	14
P to R	1	Hickory	12	N 84 W	30
		Sugar	10	S 8 E	10
	2	B. Oak	20	N 8 E	13
		do	30	S 56 W	17
	3	W. Oak	14	S 35 W	21
		Maple	18	N 75 E	32
	4	Beech	18	S 81 W	17
		Sugar	18	S 84 E	32
	5	Sycamore	40	S 86 W	13
		Ash	6	S 77 E	34
	6	Sycamore	9	S 42 E	9
		Beech	8	N 52 W	9
Q to D	1	B. Walnut	4	S 33 W	50
		Hickory	6	N 40 E	37
	2	Sugar	4	S 70 E	13
		Sycamore	18	N 44 W	10
	3	Beech	15	S 44 W	25
		do	15	N 19 E	18
	4	Beech	12	N 79 E	28
		Maple	14	S 62 W	23
	5	W. Oak	24	N 20 W	6
		do	26	S 12 W	22
	6	Hickory	20	S 9 E	22
		Elm	18	N 47 W	13
R to C	1	Post & Mound			
	2	Sycamore	9	N 21 E	8.36
	3	Water Beech	3	S 13 E	8
		Buckeye	9	N 25 W	10
	4	W. Walnut	24	S 47 E	6
		Sugar	4	N 53 W	18
	5	Sugar	12	N 80 E	14
		do	24	S 84 W	19
	6	Elm	8	N 7 E	32
		do	4	N 8 W	26
S to B	1	Post & Mound			
	2	B. Oak	14	N 87 W	83
		Hickory	12	N 61 E	71
	3	W. Oak	24	N 82 E	40
		B. Oak	26	S 12 W	1.25
	4	Sassafras	10	S 78 W	19
		B. Oak	24	N 51 E	8
	5	Sugar	14	S 10 E	15
		Ironwood	6	N 24 W	22
	6	Hickory	20	N 7 E	34
		do	14	S 60 W	72

HQ

Township N° XXIII North, Range N° III West 2nd Mer.



Surveyed by Henry Bryan — July 1822

Scale of 40 Chs. to an inch

Acres Hun

Total quantity 23.074.30

23.114-30

A True Copy from the Original on file in this Office.
Surveyor Generals Office, April 7th 1823 —

Edward Tiffin Sur. Gen.

(101)

Township N° XVIII North, Range N° II West 2nd Mer.

[Indiana V. 3]

A a B b C c D d E e F f

Sec 6 — AP; 47.61; 23753; 24.824; 25351; 23755; 25680; 107.12

Sec 5 — 25781; 61.61; 61.85; 25.606; 25.605; AP

Sec 4 — 60.56; 25.608; 25.925; 25.924; AP; AP; 24.552

Sec 3 — 63.07; 63.47; 25.921; 25.922; 24.556; 25923; 215.58

Sec 2 — 25.919; 63.51; 63.63; 25920; 21527; AP; AP; AP; 25.918

Sec 1 — AP; 64.28; 64.60; AP; 25.640; 29.419; AP; AP; AP

Sec 7 — 27.18; AP; AP; AP; AP; 107.52; AP; AP; AP; 106.20

Sec 8 — 79.86; 25175; AP; AP; 22173; 22172; AP; AP; AP; AP

Sec 9 — AP; 80.17; 24,551; 24.571; 24553; AP; 24572; 21524

Sec 10 — 79.94; AP; AP; AP; AP; AP; AP; 200

Sec 11 — 80.00; AP; AP; AP; AP; AP; AP; AP

Sec 12 — 80.00; AP; AP; AP; AP; AP; AP; AP; AP

Sec 18 — 26.00; AP; AP; AP; 103.76; AP; 22920; AP; AP; 103.25; 24129

Sec 17 — AP; AP; AP; AP; AP; AP

Sec 16

Sec 15 — AP; AP; AP; AP; AP; AP; AP; AP

Sec 14 — AP; AP; AP; AP; AP; 24479; AP

Sec 13 — AP; AP; AP; 21965; 24477; S; S; 26477

Sec 19 — 25.75; AP; AP; AP; 102.64; 20.935; 24665; 24499; 101.24; 24.500; AP

Sec 20 — AP; Located; AP; AP; AP; AP; AP

Sec 21 — AP; AP; AP; AP; 22581; 22333; AP; AP; AP

Sec 22 — AP; AP; AP; AP; AP; AP; AP; AP

Sec 23 — AP; 24766; 21679; 26680; 24238; 26720; 30137; 22174; AP; 21585; 21588; 22583; 22584; 22582

Sec 24 — 26766; 26103; 15825; 27261; 25236; 2496; AP; AP; 27550; 20467

Sec 30 — 25.18; 24321; AP; AP; 100.52; AP; AP; AP; AP; 100.20

Sec 29 — AP; AP; AP; AP; AP; 22579; AP; AP; AP

Sec 28 — AP; AP; AP; AP; AP; AP; AP; AP

Sec 27 — AP; AP; AP; AP; AP; AP; AP

Sec 26 — AP; 23928; 28281; 22988; 21.666; 23.865; AP; AP; AP; AP

Sec 25 — AP; AP; AP; AP; AP; AP; AP

Sec 31 — 28.02; AP; AP; AP; AP; 100.16; AP; AP; AP; AP; 100.40; 25.72

Sec 32 — AP; AP; 22580; 30.061; 22332; 35577; AP; AP; AP; AP

Sec 33 — 22578; AP; AP; AP; AP; 27340; 24556; AP; 30059

Sec 34 — AP; AP; AP; AP; AP; AP; AP; AP; AP

Sec 35 — AP; AP; AP; AP; AP; AP; AP; AP

Sec 36 — AP; AP; AP; AP; AP; AP; AP

S s R r Q q P p O o N n

Scale of 40 Chas to an inch

A True Copy from the Original on file in this Office
Surveyor Generals Office, Ap[l] 6th 1823
Edward Tiffin Sur. Gl